



February 7, 2005

6430-2200-59240-06

OGC - 05038

Christopher Brown, P.Eng.
Senior Reservoir Engineer, Deep Basin
Burlington Resources Canada Ltd.
2100, 250-6th Avenue S.W.
Calgary AB T2P 3H7

Canhunter Project (02)

Dear Mr. Brown:

RE: GOOD ENGINEERING PRACTICE APPROVAL RESCINDED
NOEL FIELD - CADOTTE POOLS

The Commission has received your letter, dated January 21, 2005, commenting on the Good Engineering Practice (GEP) approval issued August 4, 1988 and amended September 13, 1989 for the Noel field, for production from the Cadotte formation.

As previously stated in the Commission correspondence dated January 17, 2005, the sole purpose of the subject GEP approval was to remove individual well daily gas allowables (DGAs) on wells within the approval area. Under the current *Drilling and Production Regulation*, DGAs no longer apply to these wells. No existing wells are located such that an off-target penalty would apply, and well density does not exceed one well per gas spacing area.

Therefore, the subject GEP approval, as pertaining to the Noel - Cadotte "A", "B", "C", "D", "J", "K", "L" and "M" gas pools, is hereby rescinded. ^{"H"}

Should you have any questions, please contact Ron Stefik at (250) 952-0310.

Sincerely,

Craig Gibson, P. Eng.
Director
Resource Conservation Branch

Approval Letters to Industry
GEP, SWD, CONCURRENT PROD,
PRESSURE MAINTENANCE,
WATERFLOOD, ETC.

Copy 9

- Wellfile (originals)
- 59240
- Daily
- Resource Revenue
- S. Chicorelli
- R. Stefik
- G. Farr
- R. Slocomb
- D. Krezanoski

RESOURCE CONSERVATION BRANCH

PO Box 9329 Stn Prov Gov't, Victoria BC V8W 9N3 Tel: (250) 952-0302 Fax: (250) 952-0301
Location: 6th Flr 1810 Blanshard St, Victoria BC