

OIL AND GAS COMMISSION

November 21, 2006

2240-4800-59240-06

Allyson Frank, E.I.T. Reservoir Engineer BC Core Team Petro-Canada Oil and Gas P.O. Box 2844 Calgary AB T2P 3E3

Dear Ms. Frank:

RE: GOOD ENGINEERING PRACTICE APPROVAL <u>BUBBLES NORTH – HALFWAY "A" POOL</u>

Commission staff have reviewed your application, dated October 10, 2006, requesting Good Engineering Practice (GEP) scheme approval for producing gas from a portion of the subject pool.

The attached Approval 06-06-066 is hereby granted under Part 8, Division 6, Section 101 of the *Drilling and Production Regulation*. This approval is intended to allow the drilling and production of gas wells without spacing considerations for maximization of gas recovery.

Should you have any questions, please contact Richard Slocomb at (250) 952-0366.

Sincerely,

Doug McKenzie Director Resource Conservation Branch

Attachment

APPROVAL 06-06-067

THE PROVINCE OF BRITISH COLUMBIA <u>PETROLEUM AND NATURAL GAS ACT</u> DRILLING AND PRODUCTION REGULATION OIL AND GAS COMMISSION

IN THE MATTER of a Good Engineering Practice (GEP) scheme of Petro-Canada Oil and Gas (Petro-Canada) for producing gas from a portion of the Bubbles North – Halfway "A" pool without spacing restrictions.

NOW, THEREFORE, the Oil and Gas Commission (Commission), pursuant to Part 8, Division 6, Section 101 of the *Drilling and Production Regulation*, hereby approves the GEP scheme of Petro-Canada for drilling wells without spacing restrictions, as such scheme is described in

an Application from Petro-Canada to the Commission dated October 10, 2006.

This scheme is approved, subject to the conditions herein contained and, in particular:

1. The area of the project shall consist of;

94-G-8: Block G - units 14, 15, 24, and 25

- 2. The requirements of Section 10 of the *Drilling and Production Regulation* are hereby waived, provided that gas wells within the project area are not completed nearer than 250 m to the sides of the approved project area.
- 3. The gas wells within the project area may be produced without individual well allowable restrictions.
- 4. This approval may be modified or rescinded at a later date if deemed appropriate.

Ick

Doug McKenzie Director Resource Conservation Branch

DATED AT the City of Victoria, in the Province of British Columbia, this 22nd day of November 2006.